

**Prijslijst Kobold**

**Oktober 2009**

***kobold***  
by bron

Item No.	Designation	Price in €
<b>DW 200 multipurpose system weatherproof IP 54</b>		
332-0122	multipurpose lamp base <b>DW 200</b> (without reflector) with L-bracket with stand mount Ø 16 mm (5/8") and 5 m (16.4 ft) lamp cable	€ 751,00
332-0051-X	<b>DW 200 OF SET (Open Face)</b> consisting of:	€ 3.377,00
332-0122	1 lamp base DW 200 (without reflector)	
633-5455	1 lamp 200 W MSR	
741-0710	1 handle with spigot Ø 16 mm	
741-0570	1 reflector Open Face	
741-0752	1 4-leaf barn door for DW 200 Open Face / PAR reflector	
713-0515	1 diffusion filter for DW 200 Open Face reflector	
713-0514	1 conversion filter for DW 200 Open Face reflector	
744-0169	1 screen ring	
763-0312	1 bag for lenses	
742-0150-X	1 electronic ballast unit EWB 200	
733-0220	1 carrying case for DW 200 SET	
332-0052-X	<b>DW 200 P SET (PAR)</b> consisting of:	€ 3.537,00
332-0122	1 lamp base DW 200 (without reflector)	
633-5455	1 lamp 200 W MSR	
741-0710	1 handle with spigot Ø 16 mm	
741-0571	1 reflector PAR	
741-0752	1 4-leaf barn door for DW 200 Open Face / PAR reflector	
713-0546	1 set of PAR lenses, 4 pieces (NSP, MFL, WFL, VWFL)	
763-0312	1 bag for lenses	
742-0150-X	1 electronic ballast unit EWB 200	
733-0220	1 carrying case for DW 200 SET	
332-0053-X	<b>DW 200 AC/DC Softlight SET</b> consisting of:	€ 4.648,00
332-0122	1 lamp base DW 200 (without reflector)	
633-5455	1 lamp 200 W MSR	
741-0710	1 handle with spigot Ø 16 mm	
741-0570	1 reflector Open Face	
741-0752	1 4-leaf barn door for DW 200 Open Face / PAR reflector	
713-0515	1 diffusion filter for DW 200 Open Face reflector	
713-0514	1 conversion filter for DW 200 Open Face reflector	
744-0169	1 screen ring	
763-0312	1 bag for 5 lenses	
742-0150-X	1 electronic ballast unit EWB 200	
744-0304	1 speed ring Ø 130 mm / 5"	
743-0102	1 softbox "Video Pro XXS" 30 x 40 (cm) (12"x16")	
742-0191	1 battery ballast unit BB 200/X, dimmable, with XLR4 plug	
733-0222	1 carrying case for DW 200 AC/DC SET	

## Accessories

633-5455	lamp 200 W MSR (MSR 200/SE/HR)	€ 178,00
633-5460	lamp 200 W CSR (CSR 200/SE/HR)	€ 178,00
713-0563	UV-safety glass (replacement), Ø 119 mm	€ 34,00
741-0752	4-leaf barn door	€ 137,00
742-0624	lamp extension cable, 5 m (16.4 ft), for all 200 W daylight fixtures	€ 161,00
741-0710	handle with spigot Ø 16 mm	€ 30,00
MA 001	alu stand, 49-190 cm (1.6 - 6.2 ft), with spigot Ø 16 mm (5/8")	€ 70,00
MA 052	alu stand, 88-250 cm (2.8 - 8.2 ft), with spigot Ø 16 mm (5/8")	€ 90,00
763-0312	bag for 5 lenses	€ 21,00
733-0220	carrying case for DW 200 SET	€ 291,00
733-0221	carrying case for DW 200 OF/P SET, small	€ 327,00
733-0222	carrying case for DW 200 AC/DC SET	€ 362,00

### Accessories for Open Face version (for lamp base DW 200)

741-0570	reflector Open Face	€ 363,00
741-0574	reflector Open Face with extended barn door ears (USA)	€ 363,00
744-0169	screen ring	€ 49,00
713-0515	diffusion filter	€ 73,00
713-0514	conversion filter	€ 118,00

### Accessories for PAR version (for lamp base DW 200)

741-0571	reflector PAR	€ 363,00
741-0575	reflector PAR with extended barn door ears (USA)	€ 363,00
713-0546	set of PAR lenses, 4 pieces (NSP, MFL, WFL, VWFL)	€ 399,00
713-0718	PAR lens NSP	€ 125,00
713-0719	PAR lens MFL	€ 125,00
713-0720	PAR lens WFL	€ 125,00
713-0721	PAR lens VWFL	€ 125,00
713-0544	fresnel lens	€ 139,00
744-0196	scrim single-half	€ 23,00
744-0197	scrim double-half	€ 23,00
744-0198	scrim single-full	€ 23,00
744-0199	scrim double-full	€ 23,00

### Accessories for bare bulb version (for lamp base DW 200)

744-0298	softbox adapter for Ø 130 mm / 5" speed rings	€ 210,00
713-0564	safety glass cap (replacement) for 744-0298	€ 41,00
744-0304	speed ring Ø 130 mm / 5"	€ 114,00
743-0102	softbox "Video Pro XXS" 30 x 40 (cm) (12"x16"), Chimera	€ 176,00
743-0103	softbox "Video Pro XS" 40 x 55 (cm) (16"x22"), Chimera	€ 204,00

### Accessories for ETC Source Four™

744-0520	S4 Beam Ring set I for DE / DW 200 for ETC Source Four™	€ 165,00
744-0521	S4 Beam Ring set II for DE / DW 200 for ETC Source Four™ with lamp	€ 358,00
744-0510	HMI adapter for DE / DW 200 for ETC Source Four™	€ 102,00
633-6010	extension for lamp socket GZY9.5 (200 W)	€ 64,00
633-5465	daylight lamp 200 W UVC "all frosted"	€ 193,00

## Electronic ballast units

742-0150-X	ballast unit <b>EWB 200</b> 100 V / 265 V, dimmable, IP 43	€ 1.373,00
742-0191	battery ballast unit <b>BB 200/X</b> , dimmable, with XLR4 plug	€ 1.156,00
742-0193	battery ballast unit <b>BB 200/C</b> , dimmable, with 2-pin Cannon S12 plug	€ 1.156,00
742-0195	battery ballast unit <b>BB 200/SL3</b> , dimmable, with "SlideLock SL3" coupler	€ 1.156,00

## DW 400 multipurpose system weatherproof IP 54

332-0145	multipurpose lamp base <b>DW 400</b> (without reflector) with L-bracket with stand mount Ø 16 mm (5/8") and 6 m (19.7 ft) cable	€ 1.066,00
----------	------------------------------------------------------------------------------------------------------------------------------------	------------

332-0054-X	<b>DW 400 OF SET (Open Face)</b>	€ 4.550,00
------------	----------------------------------	------------

consisting of:

332-0145	1 lamp base DW 400 (without reflector)
633-5456	1 lamp 400 W MSR
741-0597	1 reflector Open Face
741-0754	1 4-leaf barn door for DW 400 Open Face / PAR reflector
713-0746	1 diffusion filter for DW 400 Open Face reflector
713-0747	1 conversion filter for DW 400 Open Face reflector
744-0167	1 screen ring
763-0318	1 bag for 5 lenses
742-0159-X	1 electronic ballast unit EWB 400-575
733-0223	1 carrying case for DW 400 SET

332-0055-X	<b>DW 400 P SET (PAR)</b>	€ 4.722,00
------------	---------------------------	------------

consisting of:

332-0145	1 lamp base DW 400 (without reflector)
633-5456	1 lamp 400 W MSR
741-0599	1 reflector PAR
741-0754	1 4-leaf barn door for DW 400 Open Face / PAR reflector
713-0740	1 set of PAR lenses, 4 pieces (NSP, MFL, WFL, VWFL)
744-0185	1 scrim ring
763-0318	1 bag for 5 lenses
742-0159-X	1 electronic ballast unit EWB 400-575
733-0223	1 carrying case for DW 400 SET

## Accessories

633-5456	lamp 400 W MSR	€ 238,00
633-5459	lamp 400 W CSR UVC	€ 238,00
713-0587	UV-safety glass (replacement), Ø 158 mm	€ 74,00
741-0754	4-leaf barn door for DW 400 Open Face / PAR reflector	€ 137,00
744-0358	extension cable, 5 m (16.4 ft), for all 400 W daylight fixtures	€ 177,00
742-0631	extension cable, 10 m (32.8 ft), for all 400 W daylight fixtures	€ 256,00
741-0710	handle with spigot Ø 16 mm	€ 29,00
MA 052	alu stand, 88-250 cm (2.8 - 8.2 ft), with spigot Ø 16 mm (5/8")	€ 90,00
763-0318	bag for 5 lenses	€ 26,00
733-0223	carrying case for DW 400 SETs	€ 396,00

### **Accessories for Open Face version** (for lamp base DW 400)

741-0597	reflector Open Face	€ 433,00
741-0598	reflector Open Face with extended barn door ears (USA)	€ 433,00
744-0167	screen ring	€ 31,00
713-0746	diffusion filter	€ 57,00
713-0747	conversion filter	€ 120,00

### **Accessories for PAR version** (for lamp base DW 400)

741-0599	reflector PAR	€ 433,00
713-0745	fresnel lens	€ 114,00
713-0740	set of PAR lenses, 4 pieces (NSP, MFL, WFL, VWFL)	€ 332,00
713-0741	PAR lens NSP	€ 111,00
713-0742	PAR lens MFL	€ 111,00
713-0743	PAR lens WFL	€ 111,00
713-0744	PAR lens VWFL	€ 111,00
744-0188	scrim single-half	€ 22,00
744-0189	scrim double-half	€ 22,00
744-0190	scrim single-full	€ 22,00
744-0191	scrim double-full	€ 22,00
744-0185	scrim ring	€ 47,00

### **Accessories for bare bulb version** (for lamp base DW 400)

744-0299	adapter for Ø 169 mm / 6 5/8" speed rings	€ 242,00
713-0604	safety glass cap (replacement) for 744-0299	€ 42,00
		€ 0,00
744-0305	speed ring Ø 169 mm / 6 5/8"	€ 145,00
743-0103	softbox "Video Pro XS" 40 x 55 (cm) (16"x22"), Chimera	€ 204,00
743-0101	softbox "Video Pro S" 60 x 80 (cm) (24"x32"), Chimera	€ 374,00

### **Accessories for ETC Source Four™**

744-0524	S4 Beam Ring set I for DE / DW 400 for ETC Source Four™	€ 181,00
744-0523	S4 Beam Ring set II for DE / DW 400 for ETC Source Four™ with lamp	€ 436,00
744-0511	HMI adapter for DE / DW 400 for ETC Source Four™	€ 118,00
633-6011	extension for lamp socket GZZ9.5 (400 W)	€ 64,00
633-5461	daylight lamp 400 W UVC "all frosted"	€ 255,00

## DW 575 multipurpose system weatherproof IP 54

332-0107	multipurpose lamp base <b>DW 575</b> (without lamp cable, without reflector)	€ 1.378,00
332-0040-X	<b>DW 575 OF SET (Open Face)</b>	€ 5.598,00
	consisting of:	
332-0107	1 lamp base <b>DW 575</b> (without reflector)	
633-5450	1 lamp MSR 575SE	
741-0577	1 reflector Open Face	
741-0730	1 4-leaf barn door for Open Face reflector	
713-0513	1 diffusion filter	
713-0512	1 conversion filter	
742-0599	1 lamp cable 7.5 m (25 ft)	
742-0159-X	1 electronic ballast unit EWB 400-575	
733-0209	1 carrying case	
332-0041-X	<b>DW 575 P SET (PAR)</b>	€ 5.612,00
	consisting of:	
332-0107	1 lamp base <b>DW 575</b> (without reflector)	
633-5450	1 lamp MSR 575SE	
741-0576	1 reflector PAR	
741-0731	1 4-leaf barn door for PAR reflector	
713-0527	1 set of PAR lenses, 4 pieces (NSP, MFL, WFL, VWFL)	
742-0599	1 lamp cable 7.5 m (25 ft)	
742-0159-X	1 electronic ballast unit EWB 400-575	
733-0209	1 carrying case	

## DW 800 multipurpose system weatherproof IP 54

332-0108	multipurpose lamp base <b>DW 800</b> (without lamp cable, without reflector)	€ 1.522,00
332-0042-X	<b>DW 800 OF SET (Open Face)</b>	€ 5.962,00
	consisting of:	
332-0108	1 lamp base <b>DW 800</b> (without reflector)	
633-7407	1 lamp 800 W CSR	
741-0577	1 reflector Open Face	
741-0730	1 4-leaf barn door for Open Face reflector	
713-0513	1 diffusion filter	
713-0512	1 conversion filter	
742-0599	1 lamp cable 7.5 m (25 ft)	
742-0160-X	1 electronic ballast unit EWB 400-575-800	
733-0209	1 carrying case	
332-0043-X	<b>DW 800 P SET (PAR)</b>	€ 5.977,00
	consisting of:	
332-0108	1 lamp base <b>DW 800</b> (without reflector)	
633-7407	1 lamp 800 W CSR	
741-0576	1 reflector PAR	
741-0731	1 4-leaf barn door for PAR reflector	
713-0527	1 set of PAR lenses, 4 pieces (NSP, MFL, WFL, VWFL)	
742-0599	1 lamp cable 7.5 m (25 ft)	
742-0160-X	1 electronic ballast unit EWB 400-575-800	
733-0209	1 carrying case	

### Accessories for DW 575 and DW 800

633-5450	lamp 575 W MSR (MSR 575/SE/HR)	€ 239,00
633-7407	lamp 800 W CSR (CSR 800/SE/HR/UV)	€ 278,00
742-0599	lamp cable 7.5 m (25 ft)	€ 242,00
742-0602	lamp cable 10 m (32.5 ft)	€ 271,00
742-0635	lamp cable 20 m (65 ft)	€ 346,00
MA 007 U	alu stand, 124-315 cm (4.1 - 10.3 ft), with universal head	€ 179,00
MA 269 U	alu stand, 144-455 cm (4.7 - 14.9 ft)	€ 289,00
763-0308	bag for filter / PAR lens for DW 575 / DW 800	€ 22,00
733-0209	carrying case for 1 lamp base, 1 reflector, 1 ballast unit, filters and cables	€ 420,00
733-0210	carrying case for accessories for DW 575 / DW 800 (1 reflector, 4-leaf barn door, softbox adapter, filters and lenses)	€ 379,00

### Accessories for Open Face version (for lamp base DW 575 and DW 800)

741-0577	reflector Open Face	€ 528,00
741-0590	reflector Open Face with barn door ears	€ 662,00
713-0545	safety glass (replacement) for 741-0576/7	€ 121,00
713-0513	diffusion filter	€ 95,00
713-0496	diffusion filter for 741-0590	€ 112,00
713-0512	conversion filter	€ 277,00
713-0497	conversion filter 3200 K for 741-0590	€ 296,00
741-0730	4-leaf barn door for Open Face reflector	€ 364,00
741-0731	4-leaf barn door for Open Face reflector with barn door ears	€ 216,00

### Accessories for PAR version (for lamp base DW 575 and DW 800)

741-0576	reflector PAR	€ 662,00
713-0545	safety glass (replacement) for 741-0576/7	€ 121,00
713-0527	set of PAR lenses, 4 pieces (NSP, MFL, WFL, VWFL)	€ 401,00
713-0710	PAR lens NSP 7° x 8°	€ 183,00
713-0711	PAR lens MFL 9° x 21°	€ 183,00
713-0712	PAR lens WFL 26° x 56°	€ 183,00
713-0713	PAR lens VWFL 47° x 47°	€ 183,00
713-0534	fresnel lens for PAR reflector	€ 167,00
744-0168	scrim ring (minimizes stray light and holds up to 3 scrims)	€ 68,00
744-0209	scrim single-half	€ 32,00
744-0210	scrim double-half	€ 32,00
744-0211	scrim single-full	€ 32,00
744-0212	scrim double-full	€ 32,00
741-0731	4-leaf barn door for PAR reflector with barn door ears	€ 216,00

### Accessories for bare bulb version (for lamp head DW 575 and DW 800)

744-0300	softbox adapter for softboxes and lanterns (230 mm / 9")	€ 325,00
713-5010	safety glass (replacement) for 744-0300	€ 187,00
744-0302	speed ring for Chimera softboxes for DW 575 / DW 800 (230 mm / 9")	€ 176,00
743-0101	softbox "Video Pro S" 60 x 80 (cm) (24"x32"), Chimera	€ 374,00
743-0100	softbox "Video Pro M" 90 x 120 (cm) (36"x48"), Chimera	€ 477,00
743-0200	pancake lantern M Ø 89 x 43 (cm) (35"x17") with skirt, Chimera	€ 449,00

### Multi power ballast units

742-0159-X	multi power ballast unit <b>EWB 400-575</b> 100 V / 265 V, dimmable, IP 43	€ 2.058,00
742-0160-X	multi power ballast unit <b>EWB 400-575-800</b> 100 V / 265 V, dimmable, IP 43	€ 2.240,00

## Fluorescent light systems

### Lumax ballast units

742-0420-X	<b>Lumax EB 2 x 35/55</b> electronic ballast unit 230 V	€ 548,00
742-0220-X	<b>Lumax EB 4 x 35/55</b> electronic ballast unit 230 V	€ 690,00

### Lumax fluorescent light banks

381-1012	<b>Lumax SB 12</b> light bank for 2 tubes at 60 cm (2 ft) each (20 / 35 W)	€ 642,00
381-1014	<b>Lumax SB 14</b> light bank for 4 tubes at 60 cm (2 ft) each (20 / 35 W)	€ 703,00
381-1022	<b>Lumax SB 22</b> light bank for 2 tubes at 120 cm (4 ft) each (40 / 55 W)	€ 774,00
381-1024	<b>Lumax SB 24</b> light bank for 4 tubes at 120 cm (4 ft) each (40 / 55 W)	€ 884,00

### Lumax complete systems

consisting of:

- 1 corresponding light bank
- 1 corresponding electronic ballast unit
- 1 lamp cable, 3 m (10 ft)
- 1 adapter plate with ball joint

**without tubes**

#### **2 tube systems at 60 cm (2 ft) each**

381-1212-X	Lumax SB 12 system 230 V	€ 1.407,00
------------	--------------------------	------------

#### **4 tube systems at 60 cm (2 ft) each**

381-1214-X	Lumax SB 14 system 230 V	€ 1.634,00
------------	--------------------------	------------

## 2 tube systems at 120 cm (4 ft) each

381-1222-X Lumax SB 22 system 230 V € 1.539,00

## 4 tube systems at 120 cm (4 ft) each

381-1224-X Lumax SB 24 system 230 V € 1.815,00

## Accessories

683-1139	fluorescent tube 35 W 5500 K T8/HO with safety sheath for SB 12/14	€ 39,00
683-1138	fluorescent tube 55 W 5500 K T8/HO with safety sheath for SB 22/24	€ 39,00
673-1139	fluorescent tube 35 W 3200 K T8/HO with safety sheath for SB 12/14	€ 39,00
673-1138	fluorescent tube 55 W 3200 K T8/HO with safety sheath for SB 22/24	€ 39,00
817-0810	adapter plate with ball joint with mount Ø 16 mm (5/8")	€ 82,00
MA 013	double spigot Ø 16 mm (5/8")	€ 11,00
742-0719	lamp cable, 3 m (10 ft) for SB 12/22	€ 137,00
742-0715	lamp cable, 3 m (10 ft) for SB 14/24	€ 160,00
742-0711	mains cable for ballast unit Lumax with Europe plug	€ 32,00
742-0712	mains cable for ballast unit Lumax with USA plug	€ 32,00
742-0713	mains cable for ballast unit Lumax with Swiss plug	€ 32,00
742-0714	mains cable for ballast unit Lumax without plug	€ 32,00
033-0103	light grid, parabolic, silver, for SB 12	€ 79,00
033-0102	light grid, parabolic, silver, for SB 14	€ 108,00
033-0104	light grid, parabolic, silver, for SB 22	€ 110,00
033-0101	light grid, parabolic, silver, for SB 24	€ 167,00
033-0117	light grid, black, for SB 12	€ 70,00
033-0114	light grid, black, for SB 14	€ 84,00
033-0118	light grid, black, for SB 22	€ 87,00
033-0116	light grid, black, for SB 24	€ 118,00
MA 005	alu stand, 103-290 cm (3.4 - 9.5 ft), with spigot Ø 16 mm (5/8")	€ 118,00
MA 052	alu stand, 88-250 cm (2.8 - 8.2 ft), with spigot Ø 16 mm (5/8")	€ 90,00
733-0310	transport bag for 1 x SB 24 or 2 x SB 14 systems, empty	€ 258,00

## Mains (AC-line) operated halogen fixture 300 W

312-0170-X	150 W / 300 W halogen fixture <b>SM300</b> with quick-change system for reflectors, filter slot, safety glass in frame, 4 m (13 ft) mains cable	€ 277,00
312-0085-X	<b>Reporter kit 3 x 150 W / 300 W SM300 KIT3</b> complete equipment for 120 V / 230 V consisting of:	€ 1.941,00
312-0170-X	3 150 W / 300 W halogen fixture SM300	
613-5300	3 halogen lamp 300 W / 230 V or	
613-5303	halogen lamp 300 W / 120 V	
713-0571	1 diffusion filter in frame with pouch	
713-0584	3 conversion filter 5500 K in frame with pouch	
741-0745	3 4-leaf barn door, rotating	
741-0710	1 handle with spigot Ø 16 mm (5/8") and 1/4" inner thread at the end of the handle	
MA 001	3 alu stand, 49-190 cm (1.6 - 6.2 ft), with spigot Ø 16 mm (5/8")	
733-0215	1 carrying case for SM300 KIT3 (incl. 3 stands)	

## Accessories

613-5301	halogen lamp 150 W / 230 V	€ 15,00
613-5300	halogen lamp 300 W / 230 V	€ 15,00
613-5303	halogen lamp 300 W / 120 V	€ 15,00
37361.00	fuse 3.15AF	€ 2,00
713-0589	safety glass in frame (replacement), Ø 95 mm (3 3/4")	€ 29,00
713-0571	diffusion filter in frame with pouch	€ 45,00
713-0584	conversion filter 5500 K in frame with pouch	€ 86,00
741-0745	4-leaf barn door, rotating	€ 100,00
744-0301	speed ring for Chimera softboxes for DLf200, RL250/300, SM300	€ 96,00
743-0102	softbox "Video Pro XXS" 30 x 40 (cm) (12"x16"), Chimera	€ 176,00
743-0103	softbox "Video Pro XS" 40 x 55 (cm) (16"x22"), Chimera	€ 204,00
741-0709	handle with mount Ø 16 mm (5/8") and 1/4" inner thread at the end of the handle	€ 31,00
741-0710	handle with spigot Ø 16 mm (5/8") and 1/4" inner thread at the end of the handle	€ 30,00
MA 175	mini gaffer clamp with mount Ø 16 mm (5/8") and 5/8" spigot	€ 16,00
MA 035	universal clamp with mount Ø 16 mm (5/8")	€ 29,00
MA 001	alu stand, 49-190 cm (1.6 - 6.2 ft), with spigot Ø 16 mm (5/8")	€ 70,00
733-0215	carrying case FC300RL for SM300 KIT3 and RL300 KIT3 incl. 3 stands	€ 228,00

## **Halogen battery reporter camera light 20 W - 75 W**

322-0170	<b>20 W - 75 W camera light CL 16</b>	€ 286,00
	camera light with diffused safety glass, without connecting cable, without barn door. Connecting cables and barn doors are available in different versions. <b>Please order separately</b> (see below).	

### **Connecting cables**

742-0605	connecting cable 60 cm (2 ft) with XLR4 plug	€ 56,00
742-0606	connecting cable 150 cm (5 ft) with XLR4 plug	€ 56,00
742-0609	connecting cable 20 cm (0.65 ft) with TAB plug	€ 75,00
742-0607	connecting cable 60 cm (2 ft) with TAB plug	€ 75,00
742-0608	connecting cable 60 cm (2 ft) with BP90 plug (PAG)	€ 75,00
742-0610	connecting cable 100 cm (3.2 ft) without battery connector	€ 38,00

### **Lamps**

621-2010	halogen lamp with reflector 20 W / 12 V 10°	€ 11,00
621-2024	halogen lamp with reflector 20 W / 12 V 24°	€ 11,00
621-2038	halogen lamp with reflector 20 W / 12 V 38°	€ 11,00
621-2060	halogen lamp with reflector 20 W / 12 V 60°	€ 11,00
621-3510	halogen lamp with reflector 35 W / 12 V 10°	€ 11,00
621-3524	halogen lamp with reflector 35 W / 12 V 24°	€ 11,00
621-3538	halogen lamp with reflector 35 W / 12 V 38°	€ 11,00
621-3560	halogen lamp with reflector 35 W / 12 V 60°	€ 11,00
621-5010	halogen lamp with reflector 50 W / 12 V 10°	€ 11,00
621-5024	halogen lamp with reflector 50 W / 12 V 24°	€ 11,00
621-5038	halogen lamp with reflector 50 W / 12 V 38°	€ 11,00
621-5060	halogen lamp with reflector 50 W / 12 V 60°	€ 11,00

### **Accessories**

741-0720	2-leaf barn door with daylight filter	€ 130,00
741-0722	2-leaf barn door with daylight and diffusion filter	€ 167,00
722-0406	NC battery pack 12 V / 5 Ah in leather bag with belt	€ 449,00
722-0451-X	charger 100-240 V for 12 V NC battery packs	€ 136,00
847-0947	stand mount Ø 16 mm (5/8") with 1/4" inner thread	€ 13,00
741-0739	stand spigot Ø 16 mm (5/8") with 1/4" screw, 5.5 mm (0.2") long	€ 11,00
741-0738	screw adapter with 1/4" screw and camera shoe	€ 8,00
763-0320	bag with shoulder strap for camera light and accessories	€ 19,00

## Daylight systems

### Ballast units

#### Electronic ballast units weatherproof IP 43

742-0150-X	ballast unit <b>EWB 200</b> 100 V / 265 V, dimmable, IP 43	€ 1.373,00
742-0159-X	multi power ballast unit <b>EWB 400-575</b> 100 V / 265 V, dimmable, IP 43	€ 2.058,00
742-0160-X	multi power ballast unit <b>EWB 400-575-800</b> 100 V / 265 V, dimmable, IP 43	€ 2.240,00

#### Electronic battery ballast units

742-0191	battery ballast unit <b>BB 200/X</b> , dimmable with XLR4 plug	€ 1.156,00
742-0193	battery ballast unit <b>BB 200/C</b> , dimmable with 2-pin Cannon S12 plug	€ 1.156,00
742-0195	battery ballast unit <b>BB 200/SL3</b> , dimmable with "Slide Lock SL3" coupler	€ 1.156,00

### Accessories

742-0730	mains cable for EWB 200, EWB 400-575, EWB 400-575-800 neutral	€ 43,00
742-0731	mains cable for EWB 200, EWB 400-575, EWB 400-575-800 Europe	€ 43,00
742-0732	mains cable for EWB 200, EWB 400-575, EWB 400-575-800 USA	€ 43,00
742-0733	mains cable for EWB 200, EWB 400-575, EWB 400-575-800 CH	€ 43,00
742-0600	adapter cable EWB 400-575 / EWB 400-575-800 for ARRI fixtures 575 W with MIL plug	€ 322,00
742-0600	adapter cable EWB 400-575 / EWB 400-575-800 for ARRI fixtures 575 W with Schaltbau plug	€ 128,00
741-0700	tripod mount for ballast units EWB 200 / EWB 400-575-800	€ 109,00

## DLf200 system and complete sets

### 200 W reporter lamp system

342-0120	200 W reporter fixture <b>DLf200</b> with UV-safety glass, filter slot, swivable handle with switch and 3.5 m (11.5 ft) cable	€ 734,00
342-0021-X	200 W reporter set <b>DLf200/N SET</b> complete equipment for 100 V / 265 V, with electronic ballast unit, dimmable consisting of:	€ 2.860,00
342-0120	1 fixture DLf200 with UV-safety glass, filter slot, swivable handle with switch and 3.5 m (11.5 ft) cable	
633-5455	1 lamp 200 W MSR	
713-0571	1 diffusion filter in frame with pouch	
713-0576	1 conversion filter 3200 K in frame with pouch	
713-0578	1 UV-safety glass with pouch (replacement), Ø 95 mm (3 3/4")	
741-0745	1 4-leaf barn door, rotating	
742-0150-X	1 electronic ballast unit EWB 200 100 V / 265 V, dimmable, IP 43	
741-0741	1 stand adapter, 45°, with mount Ø 16 mm (5/8")	
733-0200	1 carrying case for DLf200/N SET	
342-0025-X	200 W reporter set <b>DLf200/B SET</b> complete equipment with electronic battery ballast unit, dimmable, including battery pack 30 V / 5 Ah and charger consisting of:	€ 4.254,00
342-0120	1 fixture DLf200 with UV-safety glass, filter slot, swivable handle with switch and 3.5 m (11.5 ft) cable	
633-5455	1 lamp 200 W MSR	
713-0571	1 diffusion filter in frame with pouch	
713-0576	1 conversion filter 3200 K in frame with pouch	
713-0578	1 UV-safety glass with pouch (replacement), Ø 95 mm (3 3/4")	
741-0745	1 4-leaf barn door, rotating	
742-0195	1 battery ballast unit BB 200/SL3, dimmable, with "Slide Lock SL3" coupler	
723-0415	1 NC battery pack 30 V / 5 Ah, with "Slide Lock SL3" coupler, with shoulder strap	
723-0461-X	1 NC/NiMH safety charger 90 - 250 V, with "Slide Lock SL3" coupler	
741-0741	1 stand adapter, 45°, with mount Ø 16 mm (5/8")	
733-0243	1 carrying case for DLf200/B SET	

342-0026-X **200 W reporter set DLf200/GB SET** € 4.666,00  
 complete equipment with electronic battery ballast unit, dimmable,  
 including battery belt 30 V / 7 Ah and charger

consisting of:

342-0120	1	fixture DLf200 with UV-safety glass, filter slot, swivable handle with switch and 3.5 m (11.5 ft) cable	
633-5455	1	lamp 200 W MSR	
713-0571	1	diffusion filter in frame with pouch	
713-0576	1	conversion filter 3200 K in frame with pouch	
713-0578	1	UV-safety glass with pouch (replacement), Ø 95 mm (3 3/4")	
741-0745	1	4-leaf barn door, rotating	
742-0195	1	battery ballast unit BB 200/SL3, dimmable, with "Slide Lock SL3" coupler	
723-0425	1	* NC battery belt 30 V / 7 Ah with "Slide Lock SL3" coupler	
723-0461-X	1	* NC/NiMH safety charger 90 - 250 V, with "Slide Lock SL3" coupler	
741-0741	1	stand adapter, 45°, with mount Ø 16 mm (5/8")	
733-0244	1	carrying case for DLf200/GB SET	
	*	<i>instead of 723-0425 and 723-0461-X optionally available with 723-0424-X NiMH battery belt 28.8 V / 9.5 Ah, with "Slide Lock SL3" coupler, with integrated safety charger 90 - 250 V</i>	€ 4.503,00

342-0027-X **200 W reporter set DLf200/NB SET** € 5.644,00  
 complete equipment with electronic mains (AC-line) and battery ballast unit,  
 dimmable,  
 including battery pack 30 V / 5 Ah and charger

consisting of:

342-0120	1	fixture DLf200 with UV-safety glass, filter slot, swivable handle with switch and 3.5 m (11.5 ft) cable	
633-5455	1	lamp 200 W MSR	
713-0571	1	diffusion filter in frame with pouch	
713-0576	1	conversion filter 3200 K in frame with pouch	
713-0578	1	UV-safety glass with pouch (replacement), Ø 95 mm (3 3/4")	
741-0745	1	4-leaf barn door, rotating	
742-0150-X	1	electronic ballast unit EWB 200 100 V / 265 V, dimmable, IP 43	
742-0195	1	battery ballast unit BB 200/SL3, dimmable, with "Slide Lock SL3" coupler	
723-0415	1	NC battery pack 30 V / 5 Ah, with "Slide Lock SL3" coupler, with shoulder strap	
723-0461-X	1	NC/NiMH safety charger 90 - 250 V, with "Slide Lock SL3" coupler	
741-0741	1	stand adapter, 45°, with mount Ø 16 mm (5/8")	
733-0205	1	carrying case for DLf200/NB SET	

342-0028-X	<b>200 W reporter set DLf200/NGB SET</b>	€ 6.053,00
	complete equipment with electronic mains (AC-line) and battery ballast unit, dimmable, including battery belt 30 V / 7 Ah and charger	
	consisting of:	
342-0120	1 fixture DLf200 with UV-safety glass, filter slot, swivable handle with switch and 3.5 m (11.5 ft) cable	
633-5455	1 lamp 200 W MSR	
713-0571	1 diffusion filter in frame with pouch	
713-0576	1 conversion filter 3200 K in frame with pouch	
713-0578	1 UV-safety glass with pouch (replacement), Ø 95 mm (3 3/4")	
741-0745	1 4-leaf barn door, rotating	
742-0150-X	1 electronic ballast unit EWB 200 100 V / 265 V, dimmable, IP 43	
742-0195	1 battery ballast unit BB 200/SL3, dimmable, with "Slide Lock SL3" coupler	
723-0425	1 * NC battery belt 30 V / 7 Ah with "Slide Lock SL3" coupler	
723-0461-X	1 * NC/NiMH safety charger 90 - 250 V, with "Slide Lock SL3" coupler	
741-0741	1 stand adapter, 45°, with mount Ø 16 mm (5/8")	
733-0208	1 carrying case for DLf200/NGB SET	
	* <i>instead of 723-0425 and 723-0461-X optionally available with 723-0424-X NiMH battery belt 28.8 V / 9.5 Ah, with "Slide Lock SL3" coupler, with integrated safety charger 90 - 250 V</i>	€ 5.890,00

## Accessories

633-5455	lamp 200 W MSR	€ 178,00
713-0578	UV-safety glass with pouch (replacement), Ø 95 mm (3 3/4")	€ 38,00
713-0571	diffusion filter in frame with pouch	€ 45,00
713-0576	conversion filter 3200 K in frame with pouch	€ 94,00
741-0745	4-leaf barn door, rotating	€ 100,00
742-0624	lamp extension cable, 5 m (16.4 ft), for all 200 W daylight fixtures	€ 161,00
723-0415	NC battery pack 30 V / 5 Ah, with "Slide Lock SL3" coupler, with shoulder strap	€ 1.115,00
723-0425	NC battery belt 30 V / 7 Ah with "Slide Lock SL3" coupler	€ 1.512,00
723-0461-X	NC/NiMH safety charger 90 - 250 V, with "Slide Lock SL3" coupler	€ 508,00
723-0424-X	NiMH battery belt 28.8 V / 9.5 Ah, with "Slide Lock SL3" coupler, with integrated safety charger 90 - 250 V	€ 1.857,00
742-0740	adapter cable XLR4 to 2 pin (Cannon, MIL, Amphenol)	€ 65,00
MA 035	universal clamp with mount Ø 16 mm (5/8")	€ 29,00
741-0740	stand adapter, 45°, with spigot Ø 16 mm (5/8")	€ 22,00
741-0741	stand adapter, 45°, with mount Ø 16 mm (5/8")	€ 34,00
741-0735	stand adapter, straight, with spigot Ø 16 mm (5/8")	€ 22,00
741-0736	stand adapter, straight, with mount Ø 16 mm (5/8")	€ 34,00
MA 052	alu stand, 88-250 cm (2.8 - 8.2 ft), with spigot Ø 16 mm (5/8")	€ 90,00
MA 001	alu stand, 49-190 cm (1.6 - 6.2 ft), with spigot Ø 16 mm (5/8")	€ 70,00
733-0243	carrying case for DLf200/B SET	€ 257,00
733-0244	carrying case for DLf200/GB SET	€ 271,00
733-0200	carrying case for DLf200/N SET	€ 268,00
733-0205	carrying case for DLf200/NB SET	€ 275,00
733-0208	carrying case for DLf200/NGB SET	€ 286,00

## Batteries and Chargers 12 V

722-0406	NC battery pack 12 V / 5 Ah with XLR4 plug, in leather bag with belt	€ 449,00
722-0451-X	charger 100-240 V with XLR4 plug for 12 V NC battery packs	€ 136,00

## Batteries and Chargers 30 V SL3

723-0415	NC battery pack 30 V / 5 Ah with "Slide Lock SL3" coupler, with shoulder strap	€ 1.115,00
723-0425	NC battery belt 30 V / 7 Ah with "Slide Lock SL3" coupler	€ 1.512,00
723-0461-X	NC/NiMH safety charger 90 - 250 V with "Slide Lock SL3" coupler	€ 508,00
723-0424-X	NiMH battery belt 28.8 V / 9.5 Ah with "Slide Lock SL3" coupler, with <b>INTEGRATED SAFETY CHARGER 90 - 250 V</b>	€ 1.857,00

## Batteries and Chargers 30 V XLR 4

722-0402	NC battery pack 30 V / 8 Ah with XLR4 plug, in leather bag with shoulder strap	€ 1.426,00
722-0453-X	NC/NiMH safety charger 90 - 250 V with XLR4 plug	€ 446,00

## Softboxes, lantern, speed rings

744-0304	speed ring for Chimera softboxes for DW 200	€ 114,00
744-0301	speed ring for Chimera softboxes for DLf200, RL250/300, SM300	€ 96,00
744-0303	speed ring for Chimera softboxes for DLF200/400, DWO 200/400	€ 175,00
744-0302	speed ring for Chimera softboxes for DW 575 / DW 800 (230 mm / 9")	€ 176,00
743-0102	softbox "Video Pro XXS" 30 x 40 (cm) (12"x16"), Chimera	€ 176,00
743-0103	softbox "Video Pro XS" 40 x 55 (cm) (16"x22"), Chimera	€ 204,00
743-0101	softbox "Video Pro S" 60 x 80 (cm) (24"x32"), Chimera	€ 374,00
743-0100	softbox "Video Pro M" 90 x 120 (cm) (36"x48"), Chimera	€ 477,00
743-0200	pancake lantern M Ø 89 x 43 (cm) (35"x17") with skirt, Chimera	€ 449,00

## Stands, clamps and other accessories

### Lamp stands

MA 001	alu stand, 49-190 cm (1.6 - 6.2 ft), with spigot Ø 16 mm (5/8")	€ 70,00
MA 052	alu stand, 88-250 cm (2.8 - 8.2 ft), with spigot Ø 16 mm (5/8")	€ 90,00
MA 005	alu stand, 103-290 cm (3.4 - 9.5 ft), with spigot Ø 16 mm (5/8")	€ 118,00
MA 004	alu stand, 109-385 cm (3.6 - 12.6 ft), with mount Ø 16 mm (5/8")	€ 121,00
MA 007 U	alu stand, 124-315 cm (4.1 - 10.3 ft), with universal head	€ 179,00
MA 269 U	alu stand, 144-455 cm (4.7 - 14.9 ft), with universal head	€ 289,00

### Clamps

MA 038	double universal clamp (cross clamp 90)	€ 53,00
MA 035	universal clamp with mount Ø 16 mm (5/8")	€ 29,00
MA 175	mini gaffer clamp with mount Ø 16 mm (5/8") and 5/8" spigot	€ 16,00

### Spigots and mounts

MA 013	double spigot Ø 16 mm (5/8")	€ 11,00
847-0945	stand or lamp spigot Ø 16 mm (5/8") with 1/4" screw (TR115)	€ 7,00
847-0946	stand or lamp spigot Ø 16 mm (5/8") with 3/8" screw (TR116)	€ 7,00
847-0947	mount Ø 16 mm (5/8") with 1/4" inner thread (TR110)	€ 13,00
847-0948	mount Ø 16 mm (5/8") with 3/8" inner thread (TR111)	€ 14,00
847-0949	mount Ø 16 mm (5/8") with 3/8" screw (TR112)	€ 15,00

### Handles

741-0709	handle with mount Ø 16 mm (5/8") and 1/4" fem at the end of the handle (HG10)	€ 31,00
741-0710	handle with spigot Ø 16 mm (5/8") and 1/4" fem at the end of the handle (ST654)	€ 30,00

### Adapters

841-0953	stand mount, short, Ø 16 mm (5/8"), incl. screw with 1/4" thread	€ 10,00
741-0739	stand spigot Ø 16 mm (5/8") with 1/4" screw, 5.5 mm (0.2") long	€ 11,00
741-0743	stand mount Ø 16 mm (5/8") with 1/4" screw, 5.5 mm (0.2") long (CB16/55)	€ 17,00
741-0737	screw adapter with camera shoe (CS123)	€ 17,00
741-0738	screw adapter with 1/4" screw and camera shoe	€ 8,00
741-0740	stand adapter, 45°, with spigot Ø 16 mm (5/8") (WA16/S)	€ 22,00
741-0741	stand adapter, 45°, with mount Ø 16 mm (5/8") (WA16/B)	€ 34,00
741-0735	stand adapter, straight, with spigot Ø 16 mm (5/8")	€ 22,00
741-0736	stand adapter, straight, with mount Ø 16 mm (5/8")	€ 34,00

## Halogen lamps

### Single-ended Type

48860 SP, 12 Volt 20 Watt GU 5.3	€ 11,00
48860 FL, 12 Volt 20 Watt GU 5.3	€ 11,00
48860 WFL, 12 Volt 20 Watt GU 5.3	€ 11,00
48860 VWFL, 12 Volt 20 Watt GU 5.3	€ 11,00
48865 SP, 12 Volt 35 Watt GU 5.3	€ 11,00
48865 FL, 12 Volt 20 Watt GU 5.3	€ 11,00
48865 WFL, 12 Volt 35 Watt GU 5.3	€ 11,00
48865 VWFL, 12 Volt 35 Watt GU 5.3	€ 11,00
48870 SP, 12 Volt 50 Watt GU 5.3	€ 11,00
48870 FL, 12 Volt 50 Watt GU 5.3	€ 11,00
48870 WFL, 12 Volt 50 Watt GU 5.3	€ 11,00
48870 VWFL, 12 Volt 50 Watt GY6.35	€ 11,00
HLX64610, 12 Volt 50 Watt GY6.35	€ 7,00
FCR/7023, 12 Volt 100 Watt GY6.35	€ 7,00
64623, 12 Volt 100 Watt GY6.35	€ 13,00
EPL, 30 Volt 250 Watt GY6.35	€ 31,00
VL300*, 120 Volt 300 Watt GX6.35	€ 15,00
VL150*, 230 Volt 150 Watt GX6.35	€ 15,00
64505, 230 Volt 200 Watt GX6.35	€ 18,00
M38/6874P, 230 Volt 300 Watt GY9.5	€ 32,00
CP81/6872P, 230 Volt 300 Watt GY9.5	€ 27,00
VL300*, 230 Volt 300 Watt GX6.35	€ 15,00
CP82/6873P, 230 Volt 500 Watt GY9.5	€ 43,00
CP89/6638P, 230 Volt 650 Watt GY9.5	€ 34,00
CP67/6993P, 230 Volt 650 Watt GX9.5	€ 39,00
CP70/6995P, 230 Volt 1000 Watt GX9.5	€ 25,00
CP73/6994Z, 230 Volt 2000 Watt G38	€ 55,00

\* M-filament, especially shock resistant € 0,00

### Double-ended

P2/10(7775R), 230 Volt 625 Watt R7s	€ 26,00
P2/7, 230 Volt 100 Watt R7s	€ 21,00
P2/12(6358R), 230 Volt 1250 Watt R7s	€ 24,00
DXX/13162R, 230 Volt 800 Watt R7s	€ 19,00

## HMI / MSR lamps (daylight lamps)

### Single-ended

MSR 200/SE/HR, 200 Watt GZY9.5	€ 178,00
CSR 200/SE/HR, 200 Watt GZY9.5	€ 178,00
CSR 200/SE/HR, UVC-AF (all frosted), 200 Watt GZY9.5	€ 193,00
MSR 400/SE/HR, 400 Watt GZZ9.5	€ 238,00
CSR 400/SE/HR/UVC, 400 Watt GZZ9.5	€ 238,00
CSR 400/SE/HR, UVC-AF (all frosted), 400 Watt GZZ9.5	€ 255,00
MSR 575/SE/HR, 575 Watt G22	€ 239,00
CSR 800/SE/HR/UVC, 800 Watt G22	€ 278,00
MSR 1200/SE/HR, 1200 Watt G38	€ 309,00
MSR 2500/SE/HR, 2500 Watt G38	€ 483,00